

FOR OFFICE USE ONLY
QUAD. SERIAL NO. 149439
Lat. Long. RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent.

WELL CONSTRUCTION RECORD AS-1

DRILLING CONTRACTOR: S&ME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION

PERMIT NUMBER: NA, For Air Spurge Well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Red Horse Truck Stop

Trottingwood Road + T-40/85

(Road, Community, or Subdivision and Lot No.)

2. OWNER Ron Serran

ADDRESS 1342 Trottingwood Rd., Mebane, N.C.

(Street or Route No.) (Red Horse Truck Stop)

Mebane

N.C.

City or Town

State

Zip Code

3. DATE DRILLED 1/27/94 USE OF WELL Air Sparging

4. TOTAL DEPTH 26

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 17 FT.

(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): N/A METHOD OF TEST NA

10. WATER ZONES (depth): 21

11. CHLORINATION: Type NA Amount

12. CASING:

From	Depth	To	Diameter	Wall Thickness or Weight/Ft.	Material
From <u>0</u>	Depth <u>23.5</u>	To <u>23.5</u> Ft.	Diameter <u>2"</u>	Wall Thickness <u>See 40</u>	Material <u>PVC</u>
From <u> </u>	To <u> </u>	Ft.			
From <u> </u>	To <u> </u>	Ft.			

13. GROUT:

From	Depth	To	Material	Method
From <u>0</u>	Depth <u>17.5</u>	To <u>17.5</u> Ft.	Material <u>Portland Cement</u>	Method <u>Pump</u>
From <u> </u>	To <u> </u>	Ft.		

14. SCREEN:

From	Depth	To	Diameter	Slot Size	Material
From <u>23.5</u>	Depth <u>26</u>	To <u>26</u> Ft.	Diameter <u>2"</u>	Slot Size <u>5/16</u> in.	Material <u>PVC</u>
From <u> </u>	To <u> </u>	Ft.			
From <u> </u>	To <u> </u>	Ft.			

15. SAND/GRAVEL PACK:

From	Depth	To	Size	Material
From <u>20.5</u>	Depth <u>26</u>	To <u>26</u> Ft.	Size <u>5/16</u>	Material <u>Filter Sand</u>
From <u> </u>	To <u> </u>	Ft.		

16. REMARKS: well locked in steel 3'x3'x2.5' caulk

DEPTH	DRILLING LOG
From To	Formation Description
0 10'	Orange slightly clayey fine sandy silt - fill
10 25'	Drawn coarse to fine sandy silt - residue
25 26'	Partially weathered rocks (PWR)
T.O.B. + 26'	

LOCATION SKETCH:
(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached Map)

RECEIVED
N.C. Dept. of EHNR
FEB 17 1994
Winston-Salem
Regional Office

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C. WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CONTRACTOR OR AGENT

Submit original to Division of Environmental Management and copy to well owner.

S&ME 1/27/94

DATE

FOR OFFICE USE ONLY
QUAD. SERIAL NO. 149440
Lat. Long. RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent.

WELL CONSTRUCTION RECORD

AS-2

DRILLING CONTRACTOR: Same
DRILLER REGISTRATION NUMBER: 412
STATE WELL CONSTRUCTION PERMIT NUMBER: NA, for Air space well

1. WELL LOCATION: (Show sketch of the location below)
Nearest Town: Mebane County: Alamance

Trottingwood Road and E-40/85
(Road, Community, or Subdivision and Lot No.)

2. OWNER Ray Jernigan
ADDRESS 1342 Trottingwood Rd, Mebane
(Street or Route No.) (Red Horse Truckstop)
Mebane N.C.
City or Town State Zip Code

DEPTH

From To

0 - 4'

4 - 36'

36 - 40'

T.O.B. = 40'

DRILLING LOG

Formation Description

orange clayey fine
sandy silt

brown medium
sandy silt

Partially weathered
rock (PWR)

3. DATE DRILLED 1/27/94 USE OF WELL Air Sparging
4. TOTAL DEPTH 40
5. CUTTINGS COLLECTED YES ☒ NO ☐
6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒
7. STATIC WATER LEVEL Below Top of Casing: 18 FT.
(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): NA METHOD OF TEST NA

10. WATER ZONES (depth): 17'

11. CHLORINATION: Type NA Amount

12. CASING:

Depth	Diameter	Wall Thickness or Weight/Ft.	Material
From <u>0</u> To <u>37.5</u> Ft.	<u>2"</u>	<u>Sch 40</u>	<u>PVC</u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>	<u> </u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>	<u> </u>

LOCATION SKETCH
(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached Map)

13. GROUT:

Depth	Material	Method
From <u>0</u> To <u>31.5</u> Ft.	<u>Portland cement</u>	<u>grout</u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>

14. SCREEN:

Depth	Diameter	Slot Size	Material
From <u>37.5</u> To <u>40</u> Ft.	<u>2"</u>	<u>10/20</u> in.	<u>PVC</u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>	<u> </u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>	<u> </u>

15. SAND/GRAVEL PACK:

Depth	Size	Material
From <u>34.5</u> To <u>40</u> Ft.	<u>fine</u>	<u>filter sand</u>
From <u> </u> To <u> </u> Ft.	<u> </u>	<u> </u>

16. REMARKS: well located in steel 3'x3'x2.5' vault

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C. WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CONTRACTOR OR AGENT

Submit original to Division of Environmental Management and copy to well owner.

FOR OFFICE USE ONLY 149441
QUAD SERIAL NO.
Lat Long RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent

WELL CONSTRUCTION RECORD

AS-3

DRILLING CONTRACTOR: S+ME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION
PERMIT NUMBER: NA, For Air Sparging well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Trollingwood Road and I-40/85
(Road, Community, or Subdivision and Lot No.)

2. OWNER Roy Derrigan

ADDRESS 1342 Trollingwood Rd.
(Street or Route No.) Red House Truck Stop

Mebane

N.C.

City or Town

State

Zip Code

3. DATE DRILLED 1/27/94 USE OF WELL Air Sparging

4. TOTAL DEPTH 40

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 17 FT.

(Use "*" if Above Top of Casing)

8. TOP OF CASING IS 2 FT. Above Land Surface

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): NA METHOD OF TEST NA

10. WATER ZONES (depth): 17'

11. CHLORINATION: Type NA Amount

12. CASING:

From	Depth	To	Diameter	Wall Thickness or Weight/Ft.	Material
0	37.5	Ft.	2"	Schedule 40	NC
From	To	Ft.			
From	To	Ft.			

13. GROUT:

From	Depth	To	Material	Method
0	31.5	Ft.	Portland Cement	Pump
From	To	Ft.		

14. SCREEN:

From	Depth	To	Diameter	Slot Size	Material
37.5	40	Ft.	2"	010 in.	NC
From	To	Ft.			
From	To	Ft.			

15. SAND/GRAVEL PACK:

From	Depth	To	Size	Material
34.5	40	Ft.	Fine Ribs	Sand
From	To	Ft.		

16. REMARKS: Well located in steel 3'x3'x2.5' vault

LOCATION SKETCH
(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached Map)

RECEIVED
N.C. Dept. of EHNHR
FEB 17 1994
Winston-Salem
Regional Office

RECEIVED/EHNHR
DEM. GROUND WATER SEC.
94 FEB 14 PM 1:04

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C. WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

FOR OFFICE USE ONLY 149442
QUAD. SERIAL NO.
Lat. Long. RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent.

WELL CONSTRUCTION RECORD

AS-4

DRILLING CONTRACTOR: S+ME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION

PERMIT NUMBER: NA, For Air Sparging Well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Trollingswood Road and I-40/85
(Road, Community, or Subdivision and Lot No.)

2. OWNER: Roy Serrano

ADDRESS: 1342 Trollingswood Rd (Red Horse Tractor Shop)

Mebane N.C.
City or Town State Zip Code

3. DATE DRILLED: 1/27/94 USE OF WELL: Air Sparging

4. TOTAL DEPTH: 410

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 17 FT.

(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): METHOD OF TEST

10. WATER ZONES (depth): 20

11. CHLORINATION: Type Amount

12. CASING:

Depth	Diameter	Wall Thickness or Weight/Ft.	Material
From 0 To 37.5 Ft.	2"	Sch 40	PVC
From To Ft.			
From To Ft.			

13. GROUT:

Depth	Material	Method
From 0 To 31.5 Ft.	Portland Cement	Pump
From To Ft.		

14. SCREEN:

Depth	Diameter	Slot Size	Material
From 37.5 To 40 Ft.	2" in.	.010 in.	PVC
From To Ft.			
From To Ft.			

15. SAND/GRAVEL PACK:

Depth	Size	Material
From 34.5 To 40 Ft.	Fine Piton	Sand
From To Ft.		

16. REMARKS: well located in steel 3'x3'x 2.5' vault

DEPTH

From To
0 41'

4 - 410'

@ 40'

T.O.B. = 40'

DRILLING LOG

Formation Description

Orange slightly clay
fine sandy silt
fill

Brown med-fine
sandy silt

Residual
PWR

LOCATION SKETCH

(Show direction and distance from at least two State Roads, or other map reference points)

RECEIVED
N.C. Dept. of EHNR
FEB 17 1994
Winston-Salem
Regional Office

RECEIVED/EHNR
DIV. GROUND WATER SEC.
FEB 14 PM 1:04

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CONTRACTOR OR AGENT

Submit original to Division of Environmental Management and copy to well owner.

DATE

FOR OFFICE USE ONLY 149443
QUAD. NO. SERIAL NO.
Lat Long RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent

WELL CONSTRUCTION RECORD

AS-5

DRILLING CONTRACTOR: SIME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION

PERMIT NUMBER: NA, For Air Sparging well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Trollingwood Road and I-40/85
(Road, Community, or Subdivision and Lot No.)

2. OWNER: Ray Jennings

ADDRESS: 1342 Trollingwood Rd.
(Street or Route No.) (Red Horse Turnship)

Mebane N.C.
City or Town State Zip Code

3. DATE DRILLED: 1/26/94 USE OF WELL: Air Sparging

4. TOTAL DEPTH: 40

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 20 FT.

(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): NA METHOD OF TEST: NA

10. WATER ZONES (depth): 18'

11. CHLORINATION: Type NA Amount

12. CASING:

From	Depth	To	Diameter	Wall Thickness	Material
0	37.5	Ft.	2"	sch 40	PVC
		Ft.			
		Ft.			

13. GROUT:

From	Depth	To	Material	Method
0	31.5	Ft.	Portland Cement	Pump
		Ft.		

14. SCREEN:

From	Depth	To	Diameter	Slot Size	Material
37.5	40	Ft.	2"	in. 210	PVC
		Ft.			
		Ft.			

15. SAND/GRAVEL PACK:

From	Depth	To	Size	Material
34.5	40	Ft.	Finer than	Sand
		Ft.		

16. REMARKS: well located in steel 3'x3'x 2.5' unit

DEPTH

From To

0 4'

4 40'

@ 40'

T.O.B = 40'

DRILLING LOG

Formation Description

orange clayey fine
sandy silt - fill

Brown medium to
fine sandy silt
residual
PWR

LOCATION SKETCH

(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached Map)

RECEIVED
N.C. Dept. of EHNR

FEB 17 1994

Winston-Salem
Regional Office

RECEIVED/EHNR
DEPT. GROUND WATER SEC.
94 FEB 14 PM 1:04

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CONTRACTOR OR AGENT

Submit original to Division of Environmental Management and copy to well owner.

DATE

FOR OFFICE USE ONLY 149444
QUAD SERIAL NO.
Lat Long RO
Minor Basin
Basin Code
Header Ent. GW-1 Ent

WELL CONSTRUCTION RECORD AS-6

DRILLING CONTRACTOR: SAME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION

PERMIT NUMBER: NA, For Air Springing Well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Trollingwood Road and I-40/85
(Road, Community, or Subdivision and Lot No.)

2. OWNER Ray Jernigan

ADDRESS 1342 Trollingwood Rd

(Street or Route No.) (Red Horse Truck Stop)

Mebane

N.C.

City or Town

State

Zip Code

3. DATE DRILLED 1/26/94 USE OF WELL Air Springing

4. TOTAL DEPTH 43

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 21 FT.

(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): NA METHOD OF TEST NA

10. WATER ZONES (depth): 18'

11. CHLORINATION: Type NA Amount NA

12. CASING:

Depth	Diameter	Wall Thickness or Weight/Ft.	Material
From 0 To 40.5 Ft.	2"	Sch 40	PVC
From _____ To _____ Ft.	_____	_____	_____
From _____ To _____ Ft.	_____	_____	_____

13. GROUT:

Depth	Material	Method
From 0 To 34.5 Ft.	Portland Cement	pump
From _____ To _____ Ft.	_____	_____

14. SCREEN:

Depth	Diameter	Slot Size	Material
From 40.5 To 43.0 Ft.	2" in.	10 in.	PVC
From _____ To _____ Ft.	_____ in.	_____ in.	_____
From _____ To _____ Ft.	_____ in.	_____ in.	_____

15. SAND/GRAVEL PACK:

Depth	Size	Material
From 37.5 To 43 Ft.	fine Air	Screen
From _____ To _____ Ft.	_____	_____

16. REMARKS: well located in steel 3'x3'x2.5' vault

DEPTH

From To

0 12

12 - 43

0 43

T.O.B = 43'

DRILLING LOG

Formation Description

Orange slightly clayey
Mudstone to fine Sand
silt - Fill

Brown mudstone to fine
Sand silt - Residual
PWR

If additional space is needed use back of form

LOCATION SKETCH

(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached Map)
RECEIVED
N.C. Dept. of EHNHR
FEB 17 1994
Winston-Salem
Regional Office
RECEIVED/EHNHR
DEM. GROUND WATER SEC.
94 FEB 14 PM 1:06

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

FOR OFFICE USE ONLY 149445
QUAD. NO. _____ SERIAL NO. _____
Lat _____ Long. _____ RO _____
Minor Basin _____
Basin Code _____
Header Ent. _____ GW-1 Ent. _____

WELL CONSTRUCTION RECORD

DRILLING CONTRACTOR: S+ME

DRILLER REGISTRATION NUMBER: 412

STATE WELL CONSTRUCTION

PERMIT NUMBER: NA, For Air Sparging well

1. WELL LOCATION: (Show sketch of the location below)

Nearest Town: Mebane County: Alamance

Trottingwood + I-40/85

(Road, Community, or Subdivision and Lot No.)

2. OWNER Ray Jernigan

ADDRESS 1342 Trottingwood rd.

(Street or Route No.) CRD House Trust

Mebane

N.C.

City or Town

State

Zip Code

3. DATE DRILLED 1/26/94 USE OF WELL Air Sparging

4. TOTAL DEPTH 43 feet

5. CUTTINGS COLLECTED YES ☒ NO ☐

6. DOES WELL REPLACE EXISTING WELL? YES ☐ NO ☒

7. STATIC WATER LEVEL Below Top of Casing: 16 FT.

(Use "+" if Above Top of Casing)

8. TOP OF CASING IS 0 FT. Above Land Surface*

* Casing Terminated at/or below land surface is illegal unless a variance is issued in accordance with 15A NCAC 2C .0118

9. YIELD (gpm): NA METHOD OF TEST NA

10. WATER ZONES (depth): 19 feet

11. CHLORINATION: Type NA Amount _____

12. CASING:

From	Depth	To	Diameter	Wall Thickness or Weight/Ft.	Material
From <u>0</u>	Depth <u>40.5</u>	To <u>40.5</u>	Diameter <u>2"</u>	Wall Thickness <u>Sch 40</u>	Material <u>PVC</u>
From _____	Depth _____	To _____	Diameter _____	Wall Thickness _____	Material _____
From _____	Depth _____	To _____	Diameter _____	Wall Thickness _____	Material _____

13. GROUT:

From	Depth	To	Material	Method
From <u>0</u>	Depth <u>35.5</u>	To <u>35.5</u>	Material <u>Port land cement</u>	Method <u>Jump</u>
From _____	Depth _____	To _____	Material _____	Method _____

14. SCREEN:

From	Depth	To	Diameter	Slot Size	Material
From <u>40.5</u>	Depth <u>43</u>	To <u>43</u>	Diameter <u>2"</u>	Slot Size <u>.01 in.</u>	Material <u>PVC</u>
From _____	Depth _____	To _____	Diameter _____	Slot Size _____	Material _____
From _____	Depth _____	To _____	Diameter _____	Slot Size _____	Material _____

15. SAND/GRAVEL PACK:

From	Depth	To	Size	Material
From <u>38.5</u>	Depth <u>43</u>	To <u>43</u>	Size <u>fine</u>	Material <u>filter sand</u>
From _____	Depth _____	To _____	Size _____	Material _____

16. REMARKS: well locked in steel 3'x3'x2.5' caulk

DEPTH

From To

0 8 feet

8' 40

40 43

@ 43'

T.O.B = 43'

DRILLING LOG

Formation Description

Orange slightly clayey
fine sandy silt - fill

Brown medium to fine
sandy silt - Residual

Partially weathered
rock

bedrock (granite)

If additional space is needed use back of form

LOCATION SKETCH

(Show direction and distance from at least two State Roads, or other map reference points)

(See Attached)

RECEIVED
N.C. Dept. of EHNR

FEB 17 1994

Winston-Salem
Regional Office

RECEIVED/EHNR
DEPT. GROUND WATER SEC.
94 FEB 14 PM 1:04

I DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CONTRACTOR OR AGENT

DATE

North Carolina
Department of Natural Resources and Community Development
Division of Environmental Management
Groundwater Section
P.O. Box 27687 - Raleigh, N.C. 27611

WELL ABANDONMENT RECORDCONTRACTOR S+ME, Inc.REG. NO. 412

1. WELL LOCATION: (Show a sketch of the location on back of form.)

Nearest Town: McBaneCounty AlamanceTollingswood rd I-40/85 (SE corner)McBane, NC
Quadrangle No.2. OWNER: Ray Tjernison3. ADDRESS: 1342 Tollingswood Rd.McBane, NC.

4. TOPOGRAPHY: draw, slope, hilltop, valley, flat

5. USE OF WELL: water supply DATE: 11/31/946. TOTAL DEPTH: 94 feet DIAMETER: 6 inch

7. CASING REMOVED:

feet

diameter

06 inch

8. SEALING MATERIAL:

Neat cement		Sand cement	<u>NA</u>
94 1/2 bags of cement	<u>2</u>	bags of cement	
gals. of water	<u>10</u>	yds. of sand	
		gals. of water	<u>✓</u>

Other

Type material 25, 50 lb. bags of bentoniteAmount 1/4 cup of 70% Available Chlorine
(granular form)

9. EXPLAIN METHOD EMPLACEMENT OF MATERIAL.

* Tremie Pipe from bottom of well

Steps → Pump pulled first then well sand
chlorinated, then pumped bentonite/grout
to top of well from bottom up.

I do hereby certify that this well abandonment record is true and exact.

Signature of Contractor or Agent Thomas Hines, P.E.


Date

WELL LOCATION: Draw a location sketch on the reverse of this sheet, showing the direction and distance of the well to at least two (2) nearby reference points such as roads, intersections and streams. Identify roads with State High way road identification numbers. (See Attached Maps)

Submit original to the Division of Environmental Management, one copy to the Driller, and one copy to the owner.

GW -30 Revised 5/15/89

WELL DIAGRAM: Draw a detailed sketch of the well showing total depth, depth and diameter of screens remaining in the well, gravel interval, intervals of casing perforations, and depths and types of fill materials used.



RECEIVED/EHNR
DEM. GROUND WATER SEC.
96 FEB 14 PM 1:05
(150 lbs.)

RECEIVED
N.C. Dept. of EHNR

FEB 12 1994

Winston-Salem
Regional Office
2/17/94

